


Product Overview BAKA®

The hinge system for timber entrance doors



BAKA
Products at
a glance

BAKA® – THE HINGE SYSTEM FOR TIMBER ENTRANCE DOORS

The long-established product brand BAKA has been impressing customers for many years with its innovative and reliable product features. Designed for entrance doors made of timber the BAKA hinge range provides two- and three-dimensionally adjustable hinge systems to meet the highest technological and functional requirements. Load capacities of up to 160 kg, as well as maintenance-free slide bearing technology are the key features of this proven hinge system.

BAKA Protect 2000/4000

The hinge systems in the BAKA Protect 2000 product range (with 2D adjustment) and the BAKA Protect 4000 product range (with 3D adjustment) are optimally adapted to the requirements of the current rebate geometries. The increased load capacities of up to 120 kg with 2D adjustment and of up to 160 kg with 3D adjustment are in line with current market requirements. This hinge system is rounded off by a complementary range of finishes and application accessories required for functional and efficient installation.

BAKA Entrance Door Hinge

The hinge system for timber entrance doors supports doors up to 100 kg and is available in a wide range of different finishes. A selection of alternative finials completes the range of this classic product.

THE FEATURES AT A GLANCE

- › 2D or 3D adjustability
 - › maintenance-free slide bearings
 - › a wide variety of finials
 - › suitable for all profile geometries
 - › increased load capacities:
2D up to 120 kg,
3D up to 160 kg
 - › comfortable 3D adjusting mechanism
 - › internal hinge pin
 - › with optional security pin (MSTS)
for outwards-opening doors
 - › finishes: satin stainless steel, top zinc, traffic
white - RAL 9016, brown - H9
-

BAKA[®] – ENTRANCE DOOR HINGES

 SIMONSWERK

BAKA Protect Series 4000



BAKA Protect 4000

load capacities up to 160 kg



BAKA Protect 4000 FD

for doors with overlap seals
load capacities up to 160 kg



BAKA Protect 4048 3D K

for rebated flush
timber entrance doors
load capacities up to 120 kg



BAKA Protect 4049 3D

for unrebated
timber entrance doors
load capacities up to 120 kg

BAKA Protect Series 2000



BAKA Protect 2000


load capacities up to 120 kg



BAKA Protect 2000 FD

for doors with overlap seals
load capacities up to 120 kg

BAKA Series



BAKA C1-20 WF

load capacities up to 100 kg



BAKA C2-20 WF

load capacities up to 100 kg

VISIT OUR PRODUCTSELECTOR:
www.simonswerk.com



SIMONSWERK GmbH

Bosfelder Weg 5
33378 Rheda-Wiedenbrück
Germany

Fon +49 (0)5242/413-0
Fax +49 (0)5242/413-260

sales@simonswerk.de
www.simonswerk.com

